

NEW

PRODUCTS 2024/03



INDEX: 04487

ODYN C WHITE

Decorative ring

Power	max 35 W	IP	20
Lampholder type	LED - GU10/ MR16	Mounting hole	ø 80
Colour	white	Dimensions [mm]	30 / 93 / 93
Adjusting direction	yes	Material	aluminium
Product availability:	Available in stock		

INDEX: 04488

ODYN C BLACK

Decorative ring


Power	max 35 W	IP	20
Lampholder type	LED - GU10/ MR16	Mounting hole	ø 80
Colour	black	Dimensions [mm]	30 / 93 / 93
Adjusting direction	yes	Material	aluminium
Product availability:	Available in stock		

INDEX: 04489

ODYN C WHITE/GOLDEN

Decorative ring

Power	max 35 W	IP	20
Lampholder type	LED - GU10/ MR16	Mounting hole	ø 80
Colour	white/gold	Dimensions [mm]	30 / 93 / 93
Adjusting direction	yes	Material	aluminium
Product availability:	Available in stock		



INDEX: 04490

ODYN C BLACK/GOLDEN

Decorative ring

Power	max 35 W	IP	20
Lampholder type	LED - GU10/ MR16	Mounting hole	ø 80
Colour	black/gold	Dimensions [mm]	30 / 93 / 93
Adjusting direction	yes	Material	aluminium
Product availability:	Available in stock		

INDEX: 04406

OLGA LED C 12W BLACK CCT

Ceiling SMD LED lighting fitting


Power	12 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1490 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	18 / 167 / 167
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		

INDEX: 04407

OLGA LED C 18W BLACK CCT

Ceiling SMD LED lighting fitting

Power	18 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2220 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	18 / 220 / 220
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04408

OLGA LED C 24W BLACK CCT

Ceiling SMD LED lighting fitting

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2980 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	18 / 298 / 298
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		

INDEX: 04409

OLGA LED D 12W BLACK CCT

Ceiling SMD LED lighting fitting



Power	12 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1540 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	17 / 164 / 164
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		

INDEX: 04410

OLGA LED D 18W BLACK CCT

Ceiling SMD LED lighting fitting

Power	18 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2320 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	17 / 217 / 217
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04411

OLGA LED D 24W BLACK CCT

Ceiling SMD LED lighting fitting

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	3010 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	17 / 292 / 292
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		

INDEX: 03900

OLGIERD LED C MVS 12W WHITE CCT

Ceiling light fitting with a motion sensor

Power	12 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1580 lm
Colour	white	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 175 / 175
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		

INDEX: 04552

OLGIERD LED C MVS 12W BLACK CCT

Ceiling light fitting with a motion sensor

Power	12 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1580 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 175 / 175
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		



INDEX: 03901

OLGIERD LED C MVS 18W WHITE CCT

Ceiling light fitting with a motion sensor

Power	18 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2310 lm
Colour	white	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 225 / 225
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		

INDEX: 04553

OLGIERD LED C MVS 18W BLACK CCT

Ceiling light fitting with a motion sensor

Power	18 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2310 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 225 / 225
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		

INDEX: 04059

OLGIERD LED C MVS 24W WHITE CCT

Ceiling light fitting with a motion sensor

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	3170 lm
Colour	white	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 300 / 300
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		



INDEX: 04554

OLGIERD LED C MVS 24W BLACK CCT

Ceiling light fitting with a motion sensor

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	3170 lm
Colour	black	IP	20
Luminous beam angle	120°	Dimensions [mm]	20 / 300 / 300
Material	plastic, polycarbonate PC		
Approximate data available:	17.10.2024		



INDEX: 04572

PRYZMA LED C 12W CCT

Ceiling SMD LED light fitting

Power	12 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1450 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	70 / 260 / 260
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04573

PRYZMA LED C 16W CCT

Ceiling SMD LED light fitting

Power	16 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	1940 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	75 / 320 / 320
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04574

PRYZMA LED C 24W CCT

Ceiling SMD LED light fitting

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2900 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	80 / 390 / 390
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04570

FIESTA LED C 24W CCT

Ceiling SMD LED light fitting

Power	24 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	3000K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2900 lm
Colour	black/gold	IP	20
Luminous beam angle	140°	Dimensions [mm]	82 / 420 / 420
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04531

WYNL LED PIR 12W NW

Ceiling light fitting with a motion sensor

Power	12 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1210 lm
Colour	white	IP	20
Luminous beam angle	120°	Dimensions [mm]	65 / 255 / 255
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04532

WYNL LED PIR 18W NW

Ceiling light fitting with a motion sensor

Power	18 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1730 lm
Colour	white	IP	20
Luminous beam angle	120°	Dimensions [mm]	65 / 325 / 325
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04405

SALMA C 3 x E27

Ceiling light fitting

Power	3 x max 13 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	LED	Dimensions [mm]	85 / 400 / 400
Colour	white	Material	steel sheet, plastic
Product availability:	Available in stock		



INDEX: 04588

TRACK 0,98M WHITE

Track

Power	3 x max 13 W	Power supply	220-240V 50/60Hz
Colour	white	IP	20
Dimensions [mm]	22 / 980 / 36	Material	aluminium, copper, plastic
Attention	max 6 A		
Product availability:	Available in stock		



INDEX: 04589

TRACK 0,98M BLACK

Track

Colour	black	Power supply	220-240V 50/60Hz
Dimensions [mm]	22 / 980 / 36	IP	20
Attention	max 6 A		
Material	aluminium, copper, plastic		
Product availability:	Available in stock		



INDEX: 04393

LOFTA GU10 1C BLACK

Wall & ceiling lighting fitting

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	GU10	IP	20
Dedicated light source	LED	Dimensions [mm]	205 / 90 / 90
Colour	black	Material	steel sheet
Adjusting direction	yes		
Product availability:	Available in stock		



INDEX: 04394

LOFTA GU10 2L BLACK

Wall & ceiling lighting fitting

Power	2 x max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	GU10	IP	20
Dedicated light source	LED	Dimensions [mm]	205 / 280 / 60
Colour	black	Material	steel sheet
Adjusting direction	yes		
Product availability:	Available in stock		



INDEX: 04395

LOFTA GU10 3L BLACK

Wall & ceiling lighting fitting

Power	3 x max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	GU10	IP	20
Dedicated light source	LED	Dimensions [mm]	205 / 440 / 60
Colour	black	Material	steel sheet
Adjusting direction	yes		
Product availability:	Available in stock		



INDEX: 04396

LOFTA GU10 4D BLACK

Wall & ceiling lighting fitting

Power	4 x max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	GU10	IP	20
Dedicated light source	LED	Dimensions [mm]	205 / 220 / 220
Colour	black	Material	steel sheet
Adjusting direction	yes		
Product availability:	Available in stock		



INDEX: 04491

NERON LED 6W BLACK NW

Decorative SMD LED fitting

Power	6 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	820 lm
Colour	black	IP	44
Luminous beam angle	180°	Dimensions [mm]	40 / 400 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04492

NERON LED 8W BLACK NW

Decorative SMD LED fitting

Power	8 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1280 lm
Colour	black	IP	44
Luminous beam angle	180°	Dimensions [mm]	40 / 600 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04493

NERON LED 10W BLACK NW

Decorative SMD LED fitting

Power	10 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1560 lm
Colour	black	IP	44
Luminous beam angle	180°	Dimensions [mm]	40 / 780 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04494

DORIAN LED 8W BLACK NW

Decorative SMD LED fitting

Power	8 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1030 lm
Colour	black	IP	44
Luminous beam angle	140°	Dimensions [mm]	48 / 400 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04495

DORIAN LED 12W BLACK NW

Decorative SMD LED fitting

Power	12 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1610 lm
Colour	black	IP	44
Luminous beam angle	140°	Dimensions [mm]	48 / 600 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04496

DORIAN LED 15W BLACK NW

Decorative SMD LED fitting

Power	15 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1900 lm
Colour	black	IP	44
Luminous beam angle	140°	Dimensions [mm]	48 / 780 / 108
Material	plastic, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04468

ROXANA LED 5W BLACK NW

Decorative SMD LED fitting

Power	5 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	530 lm
Colour	black	IP	44
Luminous beam angle	110°	Dimensions [mm]	39 / 300 / 111
Material	aluminium, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04469

ROXANA LED 13W BLACK NW

Decorative SMD LED fitting

Power	13 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	1430 lm
Colour	black	IP	44
Luminous beam angle	110°	Dimensions [mm]	39 / 600 / 111
Material	aluminium, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04470

ROXANA LED 15W BLACK NW

Decorative SMD LED fitting

Power	15 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	1650 lm
Colour	black	IP	44
Luminous beam angle	110°	Dimensions [mm]	39 / 900 / 111
Material	aluminium, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04456

BRIDA LED 8W BLACK NW

Decorative SMD LED fitting

Power	8 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	950 lm
Colour	black	IP	44
Luminous beam angle	160°	Dimensions [mm]	100 / 600 / 110
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04455

TORIN LED 15W CHROME NW

Decorative SMD LED fitting

Power	15 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	1720 lm
Colour	chrom	IP	44
Luminous beam angle	160°	Dimensions [mm]	95 / 600 / 110
Material	plastic, aluminium		
Product availability:	Available in stock		



INDEX: 04457

ROLO LED C 1,9W WHITE NW

Decorative LED fitting

Power	1,9 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	190 lm
Colour	white	IP	44
Luminous beam angle	120°	Dimensions [mm]	14 / 65 / 65
Material	steel sheet, plastic	Mounting hole [mm]	Ø 55
Product availability:	Available in stock		



INDEX: 04458

ROLO LED C 1,9W BLACK NW

Decorative LED fitting

Power	1,9 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	190 lm
Colour	black	IP	44
Luminous beam angle	120°	Dimensions [mm]	14 / 65 / 65
Material	steel sheet, plastic	Mounting hole [mm]	Ø 55
Product availability:	Available in stock		




INDEX: 04452

BILA LED 1,6W NW

Decorative LED fitting

Power	1,6 W	Power supply	DC 1,5 V 3 x AA
Light colour	neutral white	IP	20
Lampholder type	LED, in set	On/off switch	yes
Colour	chrom	Dimensions [mm]	60 / 305 / 68
Luminous beam angle	180°	Material	steel sheet, plastic
Product availability:	Available in stock		




INDEX: 04462

LARGO LED 3m COB WW

LED strip

Power	19 W	Power supply	DC 12 V
Light colour	warm white	Temperature	3000K
Lampholder type	960 COB LED, in set	Luminous flux	1970 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 3000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04463

LARGO LED 3m COB NW

LED strip

Power	19 W	Power supply	DC 12 V
Light colour	neutral white	Temperature	4100K
Lampholder type	960 COB LED, in set	Luminous flux	1950 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 3000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04464

LARGO LED 3m COB CW

LED strip

Power	19 W	Power supply	DC 12 V
Light colour	cold white	Temperature	6600K
Lampholder type	960 COB LED, in set	Luminous flux	1970 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 3000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04465

LARGO LED 5m COB WW

LED strip

Power	25 W	Power supply	DC 12 V
Light colour	warm white	Temperature	3000K
Lampholder type	1600 COB LED, in set	Luminous flux	2650 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 5000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04466

LARGO LED 5m COB NW

LED strip

Power	25 W	Power supply	DC 12 V
Light colour	neutral white	Temperature	4100K
Lampholder type	1600 COB LED, in set	Luminous flux	2630 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 5000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04467

LARGO LED 5m COB CW

LED strip

Power	25 W	Power supply	DC 12 V
Light colour	cold white	Temperature	6600K
Lampholder type	1600 COB LED, in set	Luminous flux	2650 lm
Colour	white	IP	20
Luminous beam angle	160°	Dimensions [mm]	2 / 5000 / 8
Material	FR-4		
Product availability:	Available in stock		




INDEX: 04412

BARON LED WHITE CCT

SMD LED table lamp

Power	max 2 W	Power supply	DC 5 V 2,1 A MAX USB-C
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4400K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	320 lm
Colour	white	IP	54
Luminous beam angle	180°	On/off switch	yes
Dimensions [mm]	262 / 112 / 112		
Material	steel sheet, plastic		
Product availability:	Available in stock		






INDEX: 04413

BARON LED BLACK CCT

SMD LED table lamp

Power	max 2 W	Power supply	DC 5 V 2,1 A MAX USB-C
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4400K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	320 lm
Colour	black	IP	54
Luminous beam angle	180°	On/off switch	yes
Dimensions [mm]	262 / 112 / 112		
Material	steel sheet, plastic		
Product availability:	Available in stock		



INDEX: 04402

HOLI LED CRYSTAL WW CW

SMD LED table lamp

Power	max 0,7 W	Power supply	DC 5 V 1 A MAX USB-C
Light colour	warm white/ cold white	Temperature	3000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	59 lm
Colour	transparent	IP	20
Luminous beam angle	360°	On/off switch	yes
Dimensions [mm]	215 / 90 / 90	Material	plastic
Product availability:	Available in stock		

INDEX: 04403

ABI LED CRYSTAL WW CW

SMD LED table lamp

Power	max 0,7 W	Power supply	DC 5 V 1 A MAX USB-C
Light colour	warm white/ cold white	Temperature	3000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	59 lm
Colour	transparent	IP	20
Luminous beam angle	360°	On/off switch	yes
Dimensions [mm]	130 / 110 / 110	Material	plastic
Product availability:	Available in stock		

INDEX: 04404

DABI LED CRYSTAL WW CW

SMD LED table lamp

Power	max 0,7 W	Power supply	DC 5 V 1 A MAX USB-C
Light colour	warm white/ cold white	Temperature	3000K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	59 lm
Colour	transparent	IP	20
Luminous beam angle	360°	On/off switch	yes
Dimensions [mm]	255 / 110 / 110	Material	plastic
Product availability:	Available in stock		



INDEX: 04397

MALMA E14 WHITE

Table lamp

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	E14	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	white	Dimensions [mm]	305 / 160 / 160
Material	ceramics, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04398

MALMA E14 BLACK

Table lamp

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	E14	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	305 / 160 / 160
Material	ceramics, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04399

MALMA E14 ORANGE

Table lamp

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	E14	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	orange	Dimensions [mm]	305 / 160 / 160
Material	ceramics, polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04400

GALA E14 WHITE

Table lamp

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	E14	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	white	Dimensions [mm]	240 / 180 / 180
Material	ceramics, stainless steel, textile reinforced plastic		
Product availability:	Available in stock		



INDEX: 04401

GALA E14 BLACK

Table lamp

Power	max 25 W	Power supply	220-240V 50/60Hz
Lampholder type	E14	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	240 / 180 / 180
Material	ceramics, stainless steel, textile reinforced plastic		
Product availability:	Available in stock		



INDEX: 04445

MADER 2 x E27 BLACK

Floor lamp

Power	2 x max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	1760 / 230 / 230
Adjusting direction	yes	Material	stainless steel, plastic
Product availability:	Available in stock		



INDEX: 04497

TOLA E27 BLACK

Desk lamp

Power	max 40 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Adjusting direction	yes
Dimensions [mm]	330 / 145 / 145	Material	steel sheet, plastic
Product availability:	Available in stock		



INDEX: 04498

TOLA E27 BLACK CLIP

Desk lamp

Power	max 40 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Adjusting direction	yes
Dimensions [mm]	305 / 135 / 125	Material	steel sheet, plastic
Product availability:	Available in stock		



INDEX: 04423

IDOL E27 WHITE

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	white	Dimensions [mm]	300 / 115 / 180
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04425

IDOL E27 BLACK

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	300 / 115 / 180
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04426

PESTO E27 BLUE

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	blue	Dimensions [mm]	350 / 155 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04427

PESTO E27 PINK

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	pink	Dimensions [mm]	350 / 155 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04429

LIDER E27 BLUE

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	blue	Dimensions [mm]	365 / 150 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04430

LIDER E27 PINK

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	pink	Dimensions [mm]	365 / 150 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04431

LIDER E27 GREEN

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	green	Dimensions [mm]	365 / 150 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04432

NOBEL E27 BLUE

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	blue	Dimensions [mm]	370 / 120 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04433

NOBEL E27 PINK

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	pink	Dimensions [mm]	370 / 120 / 200
Adjusting direction	yes	Material	plastic
Product availability:	Available in stock		



INDEX: 04499

KATI E27 BLACK

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	395 / 150 / 150
Adjusting direction	yes	Material	stainless steel, plastic
Product availability:	Available in stock		



INDEX: 04500

KATI E27 BLACK CLIP

Desk lamp

Power	max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	360 / 145 / 117
Adjusting direction	yes	Material	stainless steel, plastic
Product availability:	Available in stock		



INDEX: 04448

ATOM LED 1W RED

Rechargeable LED torch

Power	1 W	Power supply	DC 5 V 2,1 A MAX USB C
Light colour	cold white	Temperature	6500K
Lampholder type	LED, in set	Luminous flux	100 lm
Colour	red	IP	20
Luminous beam angle	4°	On/off switch	yes
Dimensions [mm]	84 / 24 / 24	Material	plastic
Product availability:	Available in stock		

INDEX: 04501

ATOM LED 1W BLACK

Rechargeable LED torch

Power	1 W	Power supply	DC 5 V 2,1 A MAX USB C
Light colour	cold white	Temperature	6500K
Lampholder type	LED, in set	Luminous flux	100 lm
Colour	black	IP	20
Luminous beam angle	4°	On/off switch	yes
Dimensions [mm]	84 / 24 / 24	Material	plastic
Product availability:	Available in stock		



INDEX: 04449

MAGNUS LED 1W

Rechargeable LED torch

Power	1 W	Power supply	DC 5 V 2,1 A MAX USB C
Light colour	cold white	Temperature	6500K
Lampholder type	LED, in set	Luminous flux	100 lm
Colour	black	IP	20
Luminous beam angle	4°	On/off switch	yes
Dimensions [mm]	168 / 60 / 60	Material	plastic
Product availability:	Available in stock		

INDEX: 04450

ULTRAS LED 1W

Rechargeable LED torch


Power	1 W	Power supply	DC 5 V 2,1 A MAX USB C
Light colour	cold white	Temperature	6500K
Lampholder type	LED, in set	Luminous flux	100 lm
Colour	black	IP	20
Luminous beam angle	4°	On/off switch	yes
Dimensions [mm]	176 / 49 / 49	Material	plastic
Product availability:	Available in stock		

INDEX: 04451

BURTA LED 3W+3W

Rechargeable LED torch

Power	3 W + 3 W	Power supply	DC 5 V 2,1 A MAX USB C
Light colour	cold white	Temperature	6500K
Lampholder type	LED, in set	Luminous flux	220 + 250 lm
Colour	black	IP	20
Luminous beam angle	4° + 90°	On/off switch	yes
Dimensions [mm]	150 / 85 / 50	Material	plastic
Product availability:	Available in stock		



INDEX: 04502

WARTA E27 BLACK

Workshop fixture

Power	max 60 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	On/off switch	yes
Colour	black	Dimensions [mm]	380 / 90 / 80
Material	steel sheet, plastic	Cable length	5m
Product availability:	Available in stock		

INDEX: 04503

ERNEST E27 BLACK

Workshop fixture




Power	max 60 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	20
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	230 / 115 / 115
Colour	black	Cable length	5m
Material	glass, plastic		
Product availability:	Available in stock		

INDEX: 04533

LOTOS LED 10/15/20W WHITE CCT

Linear lighting fitting SMD LED

Power	10/15/20 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2720 lm
Colour	white	IP	20
Luminous beam angle	140°	Dimensions [mm]	23 / 600 / 75
Material	polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04550

LOTOS LED 10/15/20W BLACK CCT

Linear lighting fitting SMD LED

Power	10/15/20 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	2720 lm
Colour	black	IP	20
Luminous beam angle	140°	Dimensions [mm]	23 / 600 / 75
Material	polycarbonate PC		
Product availability:	Available in stock		

INDEX: 04534

LOTOS LED 25/30/40W WHITE CCT

Linear lighting fitting SMD LED

Power	25/30/40 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	5280 lm
Colour	white	IP	20
Luminous beam angle	140°	Dimensions [mm]	23 / 1200 / 75
Material	polycarbonate PC		
Product availability:	Available in stock		

INDEX: 04551

LOTOS LED 25/30/40W BLACK CCT

Linear lighting fitting SMD LED

Power	25/30/40 W	Power supply	230V 50Hz
Light colour	warm white/ neutral white/ cold white	Temperature	2700K/ 4200K/ 6500K
Lampholder type	SMD LED, in set	Luminous flux	5280 lm
Colour	black	IP	20
Luminous beam angle	140°	Dimensions [mm]	23 / 1200 / 75
Material	polycarbonate PC		
Product availability:	Available in stock		



INDEX: 04584

PLANAR LED 12W WHITE NW

Hermetic ceiling light fitting LED

Power	12 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	1539 lm
Colour	white	IP	54
Luminous beam angle	140°	Dimensions [mm]	65 / 215 / 215
Material	polipropylen PP		
Approximate data available:	17.10.2024		

INDEX: 04585

PLANAR LED 12W BLACK NW

Hermetic ceiling light fitting LED

Power	12 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	1539 lm
Colour	black	IP	54
Luminous beam angle	140°	Dimensions [mm]	65 / 215 / 215
Material	polipropylen PP		
Approximate data available:	17.10.2024		

INDEX: 04561

BIRMA 2xE27 WHITE

Hermetic ceiling light fitting

Power	2 x max 18 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	54
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	98 / 305 / 305
Colour	white	Material	ABS, polycarbonate PC
Product availability:	Available in stock		



INDEX: 04562

BIRMA 2xE27 BLACK

Hermetic ceiling light fitting

Power	2 x max 18 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	54
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	98 / 305 / 305
Colour	black	Material	ABS, polycarbonate PC
Product availability:		Available in stock	

INDEX: 04563

METYS 2xE27 WHITE

Hermetic ceiling light fitting

Power	2 x max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	65
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	85 / 300 / 300
Colour	white	Material	ABS, polycarbonate PC
Product availability:		Available in stock	

INDEX: 04564

METYS 2xE27 BLACK

Hermetic ceiling light fitting

Power	2 x max 15 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	65
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	85 / 300 / 300
Colour	black	Material	ABS, polycarbonate PC
Product availability:		Available in stock	



INDEX: 04565

RAMEN 2xE27 WHITE

Hermetic ceiling light fitting

Power	2 x max 18 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	65
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	91 / 300 / 300
Colour	white	Material	ABS, polycarbonate PC
Product availability:		Available in stock	

INDEX: 04566

RAMEN 2xE27 BLACK

Hermetic ceiling light fitting

Power	2 x max 18 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	65
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	91 / 300 / 300
Colour	black	Material	ABS, polycarbonate PC
Product availability:		Available in stock	

INDEX: 04460

SONET LED S 10W WHITE NW

Hermetic fixture with a motion sensor

Power	10 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1120 lm
Colour	white	IP	54
Luminous beam angle	140°	Dimensions [mm]	257 / 65 / 185
Material	polycarbonate PC		
Product availability:		Available in stock	



INDEX: 04461

SONET LED S 10W BLACK NW

Hermetic fixture with a motion sensor

Power	10 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Lampholder type	SMD LED, in set	Luminous flux	1120 lm
Colour	black	IP	54
Luminous beam angle	140°	Dimensions [mm]	257 / 65 / 185
Material	polycarbonate PC		
Product availability:		Available in stock	

INDEX: 04567

EFEZ E27 BLACK

Garden luminaire

Power	max 14 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	44
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	190 / 110 / 145
Colour	black	Material	polipropilen PP, polycarbonate PC
Product availability:		Available in stock	



INDEX: 04568

NYSA E27 BLACK

Hermetic fixture

Power	max 18 W	Power supply	220-240V 50/60Hz
Lampholder type	E27	IP	54
Dedicated light source	compact fluorescent lamp/LED	Dimensions [mm]	250 / 85 / 130
Colour	black	Material	ABS, polycarbonate PC
Product availability:		Available in stock	





INDEX: 04504

TARGET LED 6W BLACK WW

Decorative SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	2700K
Lampholder type	SMD LED, in set	Luminous flux	400 lm
Colour	black	IP	20/44
Luminous beam angle	270°	Dimensions [mm]	115 / 50 / 5000
Material	plastic, rubber		
Product availability:	Available in stock		

INDEX: 04505

TARGET LED 6W BLACK NW

Decorative SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4100K
Lampholder type	SMD LED, in set	Luminous flux	430 lm
Colour	black	IP	20/44
Luminous beam angle	270°	Dimensions [mm]	115 / 50 / 5000
Material	plastic, rubber		
Product availability:	Available in stock		

INDEX: 04459

SANTOR LED 10W CW

SMD LED floodlight with a motion sensor

Power	10 W	Power supply	DC 3,7 V 2500 mAh Li-ion
Light colour	cold white	IP	65
Lampholder type	SMD LED, in set	Dimensions [mm]	190 / 150 / 32
Colour	black	Luminous beam angle	120°
Adjusting direction	yes	On/off switch	yes
Material	aluminium, glass, plastic		
Product availability:	Available in stock		



INDEX: 04508

DUAL LED 0,8W CW

Solar LED lamp

Power	0,8 W	Power supply	DC 3,7 V 1200 mAh Li-ion
Light colour	cold white	IP	44
Lampholder type	SMD LED, in set	Dimensions [mm]	340 / 95 / 110
Colour	black	Luminous beam angle	120°
Adjusting direction	yes	On/off switch	yes
Material	plastic		
Approximate data available:	17.10.2024		

INDEX: 04509

RABI LED PIR 1W WW

Lighting fixture with a motion sensor

Power	1,0 W	Power supply	DC 3,7 V 800 mAh Li-ion
Light colour	warm white	IP	44
Lampholder type	LED, in set	Dimensions [mm]	170 / 120 / 63
Colour	black	On/off switch	yes
Luminous beam angle	140°	Material	ABS, polycarbonate PC
Approximate data available:	17.10.2024		

INDEX: 04511

ERSTE LED E27 8W CW

SMD LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	720 lm
Luminous beam angle	160°	Dimensions [mm]	108 / 60 / 60
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04512

ERSTE LED E27 10W CW

SMD LED lamp

Power	10 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	1110 lm
Luminous beam angle	160°	Dimensions [mm]	110 / 60 / 60
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		

INDEX: 04514

ERSTE LED E27 14W CW

SMD LED lamp

Power	14 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	1450 lm
Luminous beam angle	160°	Dimensions [mm]	118 / 65 / 65
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		

INDEX: 04515

ULKE LED E14 4W CW

SMD LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	400 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04516

ULKE LED E14 6W CW

SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	580 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04517

ULKE LED E14 8W CW

SMD LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	790 lm
Luminous beam angle	160°	Dimensions [mm]	87 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04518

ULKE LED E27 4W CW

SMD LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	400 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04519

ULKE LED E27 6W CW

SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	580 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04520

ULKE LED E27 8W CW

SMD LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6600K
Colour	white	Luminous flux	790 lm
Luminous beam angle	160°	Dimensions [mm]	89 / 45 / 45
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04521

VELA LED E14 4W CW

SMD LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Colour	white	Luminous flux	420 lm
Luminous beam angle	160°	Dimensions [mm]	99 / 37 / 37
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04522

VELA LED E14 6W CW

SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Colour	white	Luminous flux	560 lm
Luminous beam angle	160°	Dimensions [mm]	99 / 37 / 37
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04523

VELA LED E14 8W CW

SMD LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Colour	white	Luminous flux	780 lm
Luminous beam angle	160°	Dimensions [mm]	108 / 38 / 38
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04473 / 04474

FILAMENT ERSTE LED E27 8W WW

FILAMENT ERSTE LED E27 8W NW

COG LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	980 lm / 1050 lm
Luminous beam angle	160°	Dimensions	105 / 60 / 60
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04475 / 04476

FILAMENT ERSTE LED E27 10W WW

FILAMENT ERSTE LED E27 10W NW
COG LED lamp

Power	10 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	1230 lm / 1340 lm
Luminous beam angle	160°	Dimensions [mm]	105 / 60 / 60
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04477 / 04478

FILAMENT ERSTE LED E27 12W WW

FILAMENT ERSTE LED E27 12W NW
COG LED lamp

Power	12 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	1690 lm / 1810 lm
Luminous beam angle	160°	Dimensions [mm]	105 / 60 / 60
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04479 / 04480

FILAMENT ULKE LED E14 4W WW

FILAMENT ULKE LED E14 4W NW
COG LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	470 lm / 520 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04481 / 04482

FILAMENT ULKE LED E14 6W WW

FILAMENT ULKE LED E14 6W NW
COG LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	740 lm / 750 lm
Luminous beam angle	160°	Dimensions [mm]	78 / 45 / 45
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04483 / 04484

FILAMENT VELA LED E14 4W WW

FILAMENT VELA LED E14 4W NW
COG LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	490 lm / 520 lm
Luminous beam angle	160°	Dimensions [mm]	97 / 35 / 35
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04485 / 04486

FILAMENT VELA LED E14 6W WW

FILAMENT VELA LED E14 6W NW
COG LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	warm white / neutral white	Temperature	2700K / 4100K
Colour	transparent	Luminous flux	730 lm / 790 lm
Luminous beam angle	160°	Dimensions [mm]	97 / 35 / 35
Material	glass, aluminium		
Product availability:	Available in stock		



INDEX: 04536

UZO LED CLEAR E14 1,3W CW

SMD LED lamp

Power	1,4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6400K
Luminous beam angle	160°	Luminous flux	139 lm
Colour	transparent	Dimensions [mm]	51 / 20 / 20
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04537

UZO LED MILKY E14 1,3W CW

SMD LED lamp

Power	1,4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6400K
Luminous beam angle	160°	Luminous flux	129 lm
Colour	white	Dimensions [mm]	51 / 20 / 20
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04538

UZO LED CLEAR E14 3W WW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	3000K
Luminous beam angle	160°	Luminous flux	260 lm
Colour	transparent	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04539

UZO LED CLEAR E14 3W NW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Luminous beam angle	160°	Luminous flux	280 lm
Colour	transparent	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04540

UZO LED CLEAR E14 3W CW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Luminous beam angle	160°	Luminous flux	265 lm
Colour	transparent	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04541

UZO LED MILKY E14 3W WW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	3000K
Luminous beam angle	160°	Luminous flux	220 lm
Colour	white	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04542

UZO LED MILKY E14 3W NW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Luminous beam angle	160°	Luminous flux	250 lm
Colour	white	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04543

UZO LED MILKY E14 3W CW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Luminous beam angle	160°	Luminous flux	225 lm
Colour	white	Dimensions [mm]	59 / 26 / 26
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04544

PIO LED CLEAR E14 3W WW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	3000K
Luminous beam angle	270°	Luminous flux	290 lm
Colour	transparent	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04545

PIO LED CLEAR E14 3W NW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Luminous beam angle	270°	Luminous flux	300 lm
Colour	transparent	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04546

PIO LED CLEAR E14 3W CW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6300K
Luminous beam angle	270°	Luminous flux	300 lm
Colour	transparent	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04547

PIO LED MILKY E14 3W WW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	3000K
Luminous beam angle	270°	Luminous flux	255 lm
Colour	white	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04548

PIO LED MILKY E14 3W NW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Luminous beam angle	270°	Luminous flux	260 lm
Colour	white	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04549

PIO LED MILKY E14 3W CW

SMD LED lamp

Power	3 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6300K
Luminous beam angle	270°	Luminous flux	260 lm
Colour	white	Dimensions [mm]	51 / 18 / 18
Material	aluminium, glass		
Approximate data available:	17.10.2024		



INDEX: 04524

LARA LED GU10 1,5W WW

SMD LED lamp

Power	1,5 W	Power supply	230V 50Hz
Light colour	warm white	Temperature	2900K
Luminous beam angle	100°	Luminous flux	125 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04525

LARA LED GU10 1,5W NW

SMD LED lamp

Power	1,5 W	Power supply	230V 50Hz
Light colour	neutral white	Temperature	4000K
Luminous beam angle	100°	Luminous flux	130 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04526

LARA LED GU10 1,5W CW

SMD LED lamp

Power	1,5 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6300K
Luminous beam angle	100°	Luminous flux	135 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04527

LARA LED GU10 4W CW

SMD LED lamp

Power	4 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Luminous beam angle	100°	Luminous flux	420 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04528

LARA LED GU10 6W CW

SMD LED lamp

Power	6 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Luminous beam angle	100°	Luminous flux	620 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



INDEX: 04529

LARA LED GU10 8W CW

SMD LED lamp

Power	8 W	Power supply	230V 50Hz
Light colour	cold white	Temperature	6500K
Luminous beam angle	100°	Luminous flux	760 lm
Colour	white	Dimensions [mm]	54 / 50 / 50
Material	polycarbonate PC, aluminium		
Approximate data available:	17.10.2024		



IDEUS Sp. z o. o.
 Niedźwiedziniec 10
 41-506 Chorzów, Polska
 Prologis Park, budynek 4, brama „i”
 www.ideus.pl
 ideus@ideus.pl